Certificate No.: 2531-CPR-CXA10195

Issue date: 2017-06-19



CERTIFICATE OF CONSTANCY OF PERFORMANCE

Issued by DBI Certification, notified body No. 2531.

In compliance with *Regulation 305/2011/EU of the European Parliament and of the Council of 9 March 2011* (the Construction Products Regulation or CPR), this certificate applies to the construction product

COM 1000 TEXtiles

Scope: Resilient, textile and laminate floor coverings for interior use

The product fulfils the essential characteristic of **reaction to fire**:

Class B_{fl}-s1.

Intended use: Flooring

Placed on the market under the name or trade mark of:

Fletco Carpet Tiles A/S Mads Clausensvej 2 DK-7441 Bording

and produced in the manufacturing plant:

CPA20004

This certificate attests that all provisions concerning the assessment and verification of constancy of performance described in Annex ZA of the standards

EN 14041:2004 : Resilient, textile and laminate floor coverings – Essential

EN 14041:2004/AC:2006 characteristics

under system 1 for the performance set out in this certificate are applied and that the performance of the construction product is assessed to remain constant.

The attached annexes form part of this certificate.

Date of issue: 2017-06-19.

This certificate will remain valid as long as neither the harmonized standard, the construction product, the AVCP methods nor the manufacturing conditions in the plant are modified significantly unless suspended or withdrawn by the notified product certification body.

(This certificate supersedes the previous version of this certificate issued 2015-08-28)

This certificate was first issued 2015-08-28.

Name Per Lyster Name Merete Poulsen

The certificate shall be reproduced in extenso – extracts only with written permission from DBI Certification A/S.

Certificate No.: 2531-CPR-CXA10195

Issue date: 2017-06-19



Annex 1

EXTENT

Туре	Description
	Woven tiles with loop pile.
	Pile: 100 % PA 6.0, 400 g/m ²
	Rear side: TEXtiles
	Total height: 4,5 mm
	Pile height: 2,0 mm
	Total weight: 3.500 g/m ²
Field of application	Type of end use application: Horizontally laid floor covering Substrate: Noncombustible substrates (Euroclass A1 and A2-s1, d0) with a gross density ≥ 1350 kg/m³ Underlay for installation: No Type of fixation: Glued or unglued Joint according to EN ISO 9239-1:2010: yes

Prod. Reg. Nr. 7023

Certificate No.: 2531-CPR-CXA10195

Issue date: 2017-06-19



Annex 2

TEST DOCUMENTATION

Accredited Laboratory	Report no.	Date
TFI	470330-01	2017-04-28
TFI	470330-02	2017-04-28

Annex 3

TECHNICAL BASIS

Designation	Identification	Date
Product specification COM 1000 TEXtiles Supplementary information Supplementary information		2017-02-02 2016-09-23 2017-02-13

Prod. Reg. Nr. 7023